

**GOVERNMENT OF ANDHRA PRADESH  
ABSTRACT**

I & CAD - Department- Implementation of Micro-Irrigation under major Lift Irrigation Scheme – Excavation of field channels – Permission – Orders – Issued.

---

**IRRIGATION&CAD(PW:MAJOR.X)DEPARTMENT**

**G.O.Rt.No: 386**

**Dated:- 14 -06-2010.**  
**Read the followings:-**

Ref:-

1. G.O.Rt.No. 34, I & CAD (PW.MAJ.IRR.X) Department, Dt: 09-02-2007.
2. From Chief Engineer NSRS Srisailam Project, Lr. No. CE/ AMRP/ W11/ 2539/2006, Dt: 01-08-2007.

**ORDER:-**

Government have issued guidelines in the reference cited 1<sup>st</sup> read above that under all Major Lift Irrigation Projects and also under GNSS in the state 100% ayacut was proposed for Micro-Irrigation duly proposing 15000 acres for one TMC of water. Subsequently ,it was decided to discontinue the field channel works wherever Micro-Irrigation was being taken up Shortly. Certain proposals have been received from Chief Engineer (NSRSSP) and Chief Engineer(JCRGLIS) to allow them to go ahead with field channels as their distributory network is ready and the absence of field channels is preventing the fruits of the project to reach the farmers.

2. In view of the above, it is decided to allow the Chief Engineers under Jalayagnam to take up the field channels work where distributory network is going to be ready / ready up to the sub minor level in order to realize the complete benefits of the project at the earliest.

3. All the concerned authorities are requested to take necessary action accordingly in the matter.

**(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)**

**S.P.TUCKER  
PRINCIPAL SECRETARY TO GOVERNMENT**

To

All the Engineers-in –Chief/Chief Engineers of I&CAD dept,  
concerned, AP. Hyderabad.

Copyto:-

Special Secretary to CM

**//FORWARDED::BY ORDER//**

**SECTION OFFICER**